IN THE WIND PENDANT HORIZONTAL

Arihiro Miyake

Pendant lamps for a warm and widespread LED lighting. The structure is manufactured through a technology of torsion and misalignment of the aluminium extruded bar, expressly studied by Nemo. It allows a 360° LED emission. Terminal parts are in diecasted aluminium. Diffusers are in opal metacrylate. The lamps are available in matt white, matt black, titan grey and matt gold.



LED 2700K

LAMPING

Source linear LED
Total power 58W

Emission diffused, 360°
Switching dimmable, DALI push

Tension 230V Color temperature 2700K

Luminous flux 2850lm (source luminous flux)

Typ cri 85 Energy class A+

Materials aluminium + PC

Notes metal cable length 3m, electric cable lenght 5m, also

available in 120V

Net lamp weight 4 kg

Codes Structure/Diffuser


ITW LWW 56 white/white
ITW LNW 56 black/white
ITW LGW 56 gold/white
ITW LDW 56 titan grey/white

PACKAGE

Package 01 Dimension: 28x28x195 cm / Gross weight: 7 kg

Certificazioni

C € EHE



LED 3000K

LAMPING

Source linear LED
Total power 58W

Emission diffused, 360°
Switching dimmable, DALI push

Tension 230V Color temperature 3000K

Luminous flux 2850lm (source luminous flux)

Typ cri 85 Energy class A+

Materials aluminium + PC

Notes metal cable length 3m, electric cable lenght 5m, also

available in 120V

Net lamp weight 4 kg

Codes Structure/Diffuser

ITW LWW 57 white/white
ITW LNW 57 black/white
ITW LGW 57 gold/white
ITW LDW 57 titan grey/white

PACKAGE

Package 01 Dimension: 28x28x195 cm / Gross weight: 7 kg

Certificazioni

C € EHE

